


NEW

In designing the Endeavour 33, we asked Bruce Kelly for a fresh, really new design that would be large, strong and fast. The result is an exciting new design with the elegance and comfortable accommodations of a traditionally styled yacht combined with the state-of-the-art hull form and construction methods. The yacht is pleasing to the eye and offers a surprising amount of interior room because of the 11'6" beam and the long waterline length. The hull form was developed without constraints and compromises. It features a fine entry flaring out to a beamy mid-section and maintains her generous beam well aft to provide a fair and powerful run.

STRONG

The necessary complement to a modern hull form is the use of modern building materials. The Endeavour 33 is built with materials proven over the past decade in the punishing arena of SORC and World Championship offshore racing. The one piece, handlaminated hull is cored with Klegecel, a rigid, closed-cell polyvinyl foam, with laminates composed of non-woven unidirectional rovings that offer a substantial increase in strength when compared to the typical woven materials. This structure is further complemented by a one piece multi-axial steel reinforced fiberglass force grid permanently bonded to the hull to provide a strong and rigid unit.



FAST

The Endeavour 33 sports a modern double spreader rig and large sail area. It has been designed to perform particularly well with a 110% genoa. The combination of a very efficient, high aspect sail plan and a short overlap genoa makes sail handling and tacking particularly easy. Larger genoas are necessary only for those of us who just can't resist the Wednesday night races at the yacht club.

Sheeting is also a breeze with the adjustable traveler over the cabin top and six-part block system. Genoa tracks are alongside the cabin house with large, easily adjusted cars. The T-shaped cockpit allows ideal access to helm and sheeting positions as well as the sail locker and stern lazarette.

SHOWER

BUREAU

SPACIOUS

The accomodations of the Endeavour 33 offer a remarkable amount of space and comfort with 6'2" headroom. The layout offers a spacious forward cabin with a 6'6" V-berth, bureau and hanging locker. The head is particularly comfortable with generous elbow room for showering and locker space for the whole crew.

The main saloon features an L-shaped settee to port that converts to a double berth and bulk-head mounted table for dining ease. The galley is large and functional. The chart table offers good working and stowage space for the navigator and his equipment. The double quarter berth measures a full 6'6". Ventilation is exceptional with 10 opening ports with screens and 2 overhead hatches, one in the saloon and one over the V-berth. The interior is finished in rich teak as only Endeavour can do.

One gets the distinct feeling that this Endeavour Yacht is much larger than its 33 feet. Her roominess, ease of handling, value and performance should make her popular with cruising families as well as high performance enthusiasts.

MONOR WELL

SPECIFICATIONS

L.O.A.: 32'7" Displacement: 11,350 lbs. L.W.L.: 27'6" Ballast: 4,600 lbs.

L.W.L.: 27:6" Ballast: 4,600 lbs.

Beam: 11'6" Sail Area: 539.5 sq. ft.

Draft: 4'6" Designer: Bruce Kelly

Headroom: 6'2"

VEE BERTH

FORWARD CARN

ange without notice or obligation.

STANDARD

ENGINE & STEERING

Fresh Water Cooled 22-1/2 HP 3 Cylinder Yanmar Engine with 2.61 to 1 Reduction Gear Water Lift Muffler Seawater Strainer for Diesel Engine 27 Gallon Fuel Tank Stainless Steel Propeller Shaft — 1" Two Blade Bronze Propeller Recessed Instrument Panel Pedestal Steering with Engine Controls 5" Compass 38" Stainless Steel Destroyer Type Wheel

SPARS & RIGGING

Anodized Aluminum Mast and Boom Stainless Steel Standing Rigging Stainless Steel Chainplates and Tangs Lewmar #8 Main Halyard Winch and Cleats Lewmar #8 Jb Halyard Winch and Cleats Internal Jiffy Reefing Topping Lift for Main Boom (Plastic Coated)

PLUMBING

Pressure Water System

Private Head Compartment with Shower,
Sink & Venity

Manual Bilge Pump

Bronze Seacocks on ALL Thru-Hull Fittings
Below the Waterline

39 Gallon Fresh Water Tank with Baffles

Holding Tank Toilet System — 12-1/2 Gallons

GALLEY

Fresh Water Foot Pump
Insulated Ice Chest
Two Burner Gimballed Alcohol Stove with Oven
and Remote Tank
Dish Lockers and Partitioned Utensil Drawer
Deep Stainless Steel Sink
Cutting Roard Stove Cover

ELECTRICAL SYSTEM

Electric Master Control Panel with Circuit
Breakers for 12 Volt DC and 115 Volt
AC System
Battery Condition Indicator
Two 75 Amp Marine Batteries
Four-way Vapor Proof Battery Switch
All Underwater Metals Connected to
Common Ground
Navigation Lights
Steaming Light
115 Volt Duplex Receptacles
115 Volt Shore Power Connection

DECK HARDWARE

Ten Opening Ports with Screens Two Dock Hatches on Cabin Top Teak Handrails and Driprails Mainthest Traveler and Control Lines Genoa Sheets, Blocks and Aluminum Tracks and Multi-load Genoa Rollers Two Lawmar #42 Self Tailing Winches and Cleats Double Rail Welded Stainless Steel Bow and Stem Pulpits Double Lifelines and Stainless. Steel Stanchions Two Winch Handle Boxes Winch Handle Anchor Line Deck Lead Anchor Well on Foredeck Deck Locker for Stove Tank Cove Stripe and Boot Top Extracted Aluminum Toe Rail Deck Waterfill Sea hood

INTERIOR

L-Shaped Galley
Navigation Station and Double Quarter
Berth to Port
L-Shaped Settee Converts to Double Berth
5" Cushions Covered with Decorator Fabrics
Large Head Compartment with Shower, Stainless
Steel Sink and Vanity Full Length Mirror
Teak and Holly Sole
Teak Grab Handles
Oiled Teak Interior
Teak Louvered Doors Throughout
Teak Drawer Fronts
Saloon—Solid Teak Bulkhead Mounted Table
Headroom 6-2"
Large V-borth with Filler Cushion

Specifications subject to change without notice or obligation.



11700 South Belcher Road Largo, Florida 33534 Telephone (813) 541-3553